



United States  
Department of  
Agriculture

National  
Agricultural  
Statistics  
Service



# Cotton Ginnings 2007 Summary

May 2008

Ct Gn 1 (08)

# USDA





**Cotton Ginnings: Running Bales Ginned (Excluding Linters)  
by Type, State, and United States, Crop Years 2004-07**

Type and State	2004	2005	2006	2007
All Cotton				
AL	797,350	831,750	668,600	397,300
AZ	678,350	579,050	529,950	484,650
AR	2,016,500	2,099,700	2,419,500	1,807,150
CA	2,414,850	1,590,250	1,438,200	1,415,050
FL	92,900	112,100	148,150	102,250
GA	1,749,800	2,101,650	2,285,750	1,620,550
KS	65,350	92,350	117,800	51,300
LA	888,250	1,105,650	1,257,000	695,800
MS	2,274,250	2,089,300	2,029,450	1,271,250
MO	808,700	864,400	994,100	785,550
NM	67,750	72,300	61,050	60,700
NC	1,324,150	1,398,300	1,257,600	763,650
OK	289,050	341,000	183,750	281,900
SC	369,100	391,500	402,650	148,650
TN	958,550	1,083,250	1,310,900	586,600
TX	7,618,050	8,333,750	5,751,650	8,144,900
VA	142,600	166,750	141,500	95,900
US	22,555,550	23,253,050	20,997,600	18,713,150
Amer-Pima				
AZ	5,300	6,750	13,350	4,450
CA	656,200	537,300	660,600	766,300
NM	17,650	20,650	21,650	10,350
TX	37,750	42,300	41,550	42,150
US	716,900	607,000	737,150	823,250

**Cotton Ginnings: Running Bales Produced and Equivalent 480-Pound  
Bales Ginned, by Type, State, and United States, Crop Years 2006-07**

Type and State	Running Bales Produced		Equivalent 480-Pound Bales Ginned	
	2006	2007	2006	2007
All Cotton				
AL	650,900	402,650	691,600	409,900
AZ	553,950	505,700	544,500	496,450
AR	2,467,250	1,851,100	2,475,450	1,849,700
CA	1,413,650	1,393,200	1,491,550	1,465,300
FL	160,850	110,500	153,250	105,900
GA	2,262,200	1,608,900	2,358,150	1,672,200
KS	115,050	54,850	119,450	53,500
LA	1,219,700	682,200	1,278,750	712,200
MS	2,054,950	1,287,800	2,079,750	1,300,650
MO	963,500	746,000	1,015,450	804,550
NM	110,800	95,550	62,050	61,600
NC	1,236,650	755,700	1,306,600	791,500
OK	198,400	278,800	187,400	283,550
SC	417,650	153,900	416,250	152,800
TN	1,329,600	583,500	1,346,400	602,100
TX	5,691,200	8,103,200	5,904,900	8,338,750
VA	151,300	99,600	145,300	98,050
US	20,997,600	18,713,150	21,576,800	19,198,700
Amer-Pima				
AZ	12,900	4,400	13,800	4,550
CA	661,050	766,300	686,900	792,650
NM	19,300	8,100	22,100	10,500
TX	43,900	44,450	42,550	43,550
US	737,150	823,250	765,350	851,250

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2007**

Type and State	October 1	October 15	November 1
All Cotton			
AL	31,550	113,650	203,950
AZ	30,300	57,300	121,500
AR	297,650	750,600	1,255,950
CA <sup>1</sup>		91,150	343,150
FL <sup>1</sup>		17,650	33,950
GA	14,750	91,950	314,300
KS <sup>3</sup>			
LA	49,100	258,950	516,600
MS	162,750	554,250	967,900
MO	234,100	443,650	609,850
NM	0	0	8,700
NC	28,300	160,200	397,100
OK	1,200	24,750	73,500
SC	8,550	30,200	67,450
TN	142,350	338,350	511,650
TX	559,750	844,200	1,601,000
VA	1,750	16,400	45,150
US	1,566,300	3,793,250	7,071,700
Amer-Pima			
AZ <sup>1</sup>			
CA <sup>1</sup>		48,550	155,350
NM <sup>1</sup>	0	0	
TX <sup>1</sup>	0		3,100
US <sup>2</sup>		49,100	162,300

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2007 - Continued**

Type and State	November 15	December 1	December 15
All Cotton			
AL	278,550	333,600	369,950
AZ	181,050	249,350	304,450
AR	1,625,400	1,782,400	1,806,050
CA	573,050	828,350	1,030,750
FL	61,000	85,800	100,300
GA	644,150	1,043,200	1,386,500
KS <sup>3</sup>		20,400	31,900
LA	671,300	695,800	695,800
MS	1,220,950	1,263,200	1,270,050
MO	727,150	773,400	783,100
NM	16,800	26,250	36,650
NC	598,750	739,350	761,500
OK	120,800	179,000	214,750
SC	98,200	126,450	142,950
TN	577,550	584,650	586,400
TX	2,635,050	3,771,300	4,723,800
VA	68,750	90,150	95,600
US	10,098,500	12,592,650	14,340,500
Amer-Pima			
AZ <sup>1</sup>		1,200	2,350
CA	278,750	407,250	519,400
NM	4,400	6,200	7,900
TX <sup>1</sup>		17,900	25,550
US	294,750	432,550	555,200

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Running Bales Ginned (Excluding Linters) by Type,  
Survey Period, State, and United States, Crop Year 2007 - Continued**

Type and State	January 1	January 15	February 1
All Cotton			
AL	387,550	393,100	394,800
AZ	370,650	420,750	461,500
AR	1,807,150	1,807,150	1,807,150
CA	1,193,200	1,293,650	1,370,250
FL	101,700	102,000	102,250
GA	1,546,300	1,604,950	1,617,000
KS	40,600	44,250	48,650
LA	695,800	695,800	695,800
MS	1,271,150	1,271,150	1,271,150
MO	785,550	785,550	785,550
NM	46,700	53,550	60,700
NC	763,100	763,100	763,100
OK	247,850	261,400	274,600
SC	147,800	148,300	148,350
TN	586,600	586,600	586,600
TX	5,612,750	6,362,800	7,101,300
VA	95,900	95,900	95,900
US	15,700,350	16,690,000	17,584,650
Amer-Pima			
AZ	3,000	3,250	3,950
CA	631,000	695,850	738,500
NM	8,350	8,750	10,350
TX	33,700	40,800	42,150
US	676,050	748,650	794,950

<sup>1</sup> Not published to avoid disclosing individual gins, but included in U.S. totals

<sup>2</sup> Not published to avoid disclosing individual gins, but included in the all U.S. cotton total.

<sup>3</sup> Kansas' first estimate is December 1.

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
All Cotton			
Autauga <sup>1</sup>			1,500
Baldwin	0	0	13,600
Barbour	0	0	6,250
Blount <sup>1</sup>			2,700
Bullock <sup>1</sup>	0	0	
Butler <sup>1</sup>	0	0	
Calhoun	0	0	4,050
Chambers <sup>1</sup>	0	0	
Cherokee <sup>1</sup>			12,950
Chilton <sup>1</sup>			
Choctaw <sup>1</sup>	0	0	
Clarke <sup>1</sup>	0	0	
Coffee <sup>1</sup>			12,350
Colbert <sup>1</sup>			14,750
Conecuh	0	0	5,500
Covington <sup>1</sup>			11,150
Crenshaw <sup>1</sup>	0	0	
Cullman	0	0	1,700
Dale	0	0	7,250
Dallas	0	0	2,500
Dekalb <sup>1</sup>	0	0	
Elmore <sup>1</sup>			8,650
Escambia <sup>1</sup>			17,650
Etowah	0	0	2,900
Franklin	0	0	2,800
Geneva <sup>1</sup>			19,000
Greene <sup>1</sup>	0	0	
Hale	0	0	7,550
Henry <sup>1</sup>			16,300
Houston <sup>1</sup>			25,050
Jackson	0	0	5,400
Lamar	0	0	2,450
Lauderdale	17,200	18,000	18,150
Lawrence <sup>1</sup>			20,550
Lee <sup>1</sup>	0	0	
Limestone	44,250	45,900	38,000

See footnote(s) at end of table.

--continued



**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Macon <sup>1</sup>			4,100
Madison	24,250	24,850	38,150
Marengo <sup>1</sup>			4,000
Marion <sup>1</sup>	0	0	
Marshall <sup>1</sup>	0	0	
Mobile <sup>1</sup>			16,150
Monroe <sup>1</sup>			21,800
Montgomery	0	0	1,700
Morgan <sup>1</sup>	0	0	
Perry	0	0	1,050
Pickens <sup>1</sup>	0	0	
Pike	0	0	2,100
Russell <sup>1</sup>			5,400
Shelby	0	0	3,100
Talladega	0	0	2,950
Tallapoosa <sup>1</sup>			
Tuscaloosa	0	0	2,950
Washington <sup>1</sup>	0	0	
Wilcox	0	0	1,000
Other <sup>2</sup>			9,700
Alabama	397,300	409,900	402,650
Cochise <sup>1</sup>			2,700
Gila <sup>1</sup>	0	0	
Graham <sup>1</sup>			57,250
Greenlee <sup>1</sup>	0	0	
La Paz <sup>1</sup>			46,000
Maricopa	133,900	137,650	89,250
Mohave <sup>1</sup>			8,200
Pima <sup>1</sup>			21,350
Pinal	210,450	214,900	229,400
Yuma	52,050	52,950	49,950
Arizona	484,650	496,450	505,700
Arkansas <sup>1</sup>	0	0	
Ashley	113,950	115,850	112,100
Chicot <sup>1</sup>			57,700
Clay <sup>1</sup>			75,900
Craighead	204,600	210,250	206,100

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Crittenden <sup>1</sup>			56,750
Cross	0	0	10,350
Desha	210,250	212,900	150,300
Drew <sup>1</sup>			43,100
Greene <sup>1</sup>			25,400
Jefferson <sup>1</sup>			40,900
Lafayette <sup>1</sup>			5,450
Lee <sup>1</sup>			152,550
Lincoln <sup>1</sup>			80,250
Lonoke	46,000	46,800	43,150
Miller	0	0	1,200
Mississippi	388,900	398,200	432,750
Monroe <sup>1</sup>			26,150
Phillips	134,750	139,200	108,700
Poinsett	147,550	149,300	134,500
Prairie	0	0	1,300
Pulaski <sup>1</sup>	0	0	
St. Francis	124,350	129,250	69,550
Woodruff <sup>1</sup>			16,750
Arkansas	1,807,150	1,849,700	1,851,100
Colusa	0	0	1,800
Fresno	493,700	513,050	415,450
Glenn	0	0	9,600
Imperial <sup>1</sup>			6,750
Kern	248,650	256,200	358,000
Kings	367,850	379,950	282,000
Madera <sup>1</sup>			24,200
Merced <sup>1</sup>			158,350
Riverside <sup>1</sup>			57,450
San Bernardino	0	0	1,100
Sutter <sup>1</sup>			1,450
Tulare	92,150	96,100	77,050
California	1,415,050	1,465,300	1,393,200
Calhoun	0	0	9,050
Escambia <sup>1</sup>			12,550
Gadsen	0	0	2,600
Holmes	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Jackson <sup>1</sup>			37,350
Jefferson <sup>1</sup>	0	0	
Okaloosa	0	0	5,650
Santa Rosa <sup>1</sup>			34,650
Walton	0	0	3,050
Washington	0	0	2,900
Florida	102,250	105,900	110,500
Appling <sup>1</sup>			29,500
Atkinson	0	0	7,900
Bacon	0	0	10,050
Baker	0	0	34,200
Bartow <sup>1</sup>			1,800
Ben Hill	0	0	13,200
Berrien	60,500	62,150	27,600
Bleckley			14,750
Brantley <sup>1</sup>	0	0	
Brooks <sup>1</sup>			66,350
Bulloch <sup>1</sup>			28,650
Burke	38,850	40,250	24,000
Calhoun <sup>1</sup>			23,650
Candler <sup>1</sup>			11,050
Chattooga <sup>1</sup>	0	0	
Clay	0	0	10,050
Clinch <sup>1</sup>	0	0	
Coffee <sup>1</sup>			33,500
Colquitt	225,850	234,250	87,550
Cook	0	0	21,500
Crawford <sup>1</sup>	0	0	
Crisp <sup>1</sup>			46,200
Decatur <sup>1</sup>			65,550
Dodge <sup>1</sup>			21,300
Dooly	140,300	144,800	100,050
Dougherty	0	0	5,150
Early <sup>1</sup>			58,600
Effingham	0	0	1,550
Elbert	0	0	1,000
Emanuel	0	0	14,850
Evans	0	0	2,300
Floyd	0	0	1,450

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Glascock <sup>1</sup>	0	0	
Grady	0	0	27,300
Hart <sup>1</sup>	0	0	
Houston	0	0	19,150
Irwin	0	0	34,350
Jeff Davis <sup>1</sup>			27,700
Jefferson <sup>1</sup>			13,700
Jenkins	0	0	11,600
Johnson	0	0	1,300
Lanier	0	0	9,250
Laurens <sup>1</sup>			5,400
Lee <sup>1</sup>			25,100
Long <sup>1</sup>	0	0	
Lowndes	0	0	12,600
Macon	0	0	13,050
Madison <sup>1</sup>	0	0	
Marion <sup>1</sup>	0	0	
Miller <sup>1</sup>			57,450
Mitchell <sup>1</sup>			79,650
Montgomery <sup>1</sup>	0	0	2,200
Morgan <sup>1</sup>			
Oconee <sup>1</sup>	0	0	
Peach	0	0	3,000
Pierce	0	0	9,750
Polk	0	0	1,650
Pulaski <sup>1</sup>			42,950
Quitman <sup>1</sup>	0	0	
Randolph <sup>1</sup>			15,400
Richmond <sup>1</sup>	0	0	
Schley <sup>1</sup>	0	0	
Screven <sup>1</sup>			19,700
Seminole <sup>1</sup>			56,700
Stewart	0	0	3,700
Sumter <sup>1</sup>			32,600
Tattnall	0	0	9,600
Taylor <sup>1</sup>			4,100
Telfair	0	0	12,000
Terrell <sup>1</sup>			29,050
Thomas <sup>1</sup>			44,250
Tift <sup>1</sup>			27,950
Toombs	0	0	5,950

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Treutlen	0	0	2,700
Turner <sup>1</sup>			31,950
Twiggs	0	0	4,850
Walton <sup>1</sup>	0	0	
Ware	0	0	2,650
Warren <sup>1</sup>	0	0	
Washington <sup>1</sup>	0	0	
Wayne	0	0	6,650
Webster	0	0	11,150
Wheeler	0	0	2,550
Wilcox <sup>1</sup>			32,700
Wilkinson <sup>1</sup>	0	0	
Worth <sup>1</sup>			87,000
Georgia	1,620,550	1,672,200	1,608,900
Barber	0	0	2,000
Butler <sup>1</sup>	0	0	
Cherokee <sup>1</sup>	0	0	
Comanche <sup>1</sup>	0	0	
Cowley <sup>1</sup>			11,250
Edwards	0	0	1,700
Grant <sup>1</sup>	0	0	
Gray	0	0	3,150
Harper	0	0	1,450
Harvey	0	0	1,000
Haskell	0	0	2,250
Kingman <sup>1</sup>	0	0	
Kiowa <sup>1</sup>	0	0	
Marion <sup>1</sup>	0	0	
Meade <sup>1</sup>	0	0	
Pratt <sup>1</sup>			5,100
Reno <sup>1</sup>	0	0	
Sedgwick <sup>1</sup>	0	0	
Seward	0	0	5,200
Stafford	0	0	1,050
Stevens <sup>1</sup>			3,500
Sumner	0	0	12,350
Other <sup>2</sup>			100
Kansas	51,300	53,500	54,850

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Avoyelles <sup>1</sup>			27,850
Bossier	0	0	2,950
Caddo	37,350	38,650	34,750
Caldwell	0	0	9,150
Catahoula	75,300	75,800	84,650
Concordia	62,700	63,650	66,550
Desoto	0	0	
East Carroll	60,400	61,250	41,000
Evangeline	0	0	1,700
Franklin	111,050	114,750	49,700
Lasalle <sup>1</sup>	0	0	
Madison <sup>1</sup>			63,900
Morehouse <sup>1</sup>			41,000
Natchitoches	0	0	10,850
Ouachita	0	0	14,550
Pointe Coupe <sup>1</sup>			13,800
Rapides	39,900	40,250	26,450
Red River <sup>1</sup>			5,250
Richland	30,600	31,500	17,400
Saint Landry	0	0	3,050
Tensas	128,900	133,300	158,050
West Carroll <sup>1</sup>			7,650
Louisiana	695,800	712,200	682,200
Adams	0	0	8,400
Alcorn <sup>1</sup>	0	0	
Attala	0	0	5,200
Benton <sup>1</sup>			1,200
Bolivar	119,950	121,800	107,700
Calhoun	34,950	36,100	28,250
Carroll <sup>1</sup>			21,150
Chickasaw	0	0	3,350
Choctaw	0	0	1,150
Claiborne	0	0	3,950
Clay	0	0	1,250
Coahoma	197,700	201,400	171,350
Copiah <sup>1</sup>	0	0	
Covington	0	0	1,050
Desoto <sup>1</sup>			12,550
George	0	0	3,000

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Grenada	0	0	12,050
Hinds <sup>1</sup>			13,400
Holmes	70,550	72,050	59,000
Humphreys	52,550	53,550	71,200
Issaquena	0	0	26,800
Itawamba	0	0	6,250
Jackson	0	0	4,500
Jefferson <sup>1</sup>			8,400
Jones <sup>1</sup>	0	0	
Lafayette <sup>1</sup>			5,900
Leake <sup>1</sup>	0	0	
Lee <sup>1</sup>			12,000
Leflore	149,150	154,500	123,300
Lowndes	0	0	7,000
Madison <sup>1</sup>			6,500
Marshall <sup>1</sup>	0	0	
Monroe <sup>1</sup>			4,200
Montgomery <sup>1</sup>			14,500
Noxubee	0	0	8,200
Oktibbeha <sup>1</sup>	0	0	
Panola	22,850	23,750	20,350
Pontotoc <sup>1</sup>			4,250
Prentiss <sup>1</sup>	0	0	
Quitman	49,650	49,900	37,750
Rankin	0	0	1,700
Scott <sup>1</sup>	0	0	
Sharkey	55,250	56,800	58,450
Sunflower	60,450	60,850	57,000
Tallahatchie <sup>1</sup>			73,150
Tate	0	0	12,900
Tippah	0	0	1,800
Tishomingo	0	0	1,900
Tunica <sup>1</sup>			81,500
Union <sup>1</sup>	0	0	
Warren <sup>1</sup>			6,600
Washington	63,650	65,100	79,600
Webster <sup>1</sup>			18,000
Yalobusha <sup>1</sup>			9,400
Yazoo	97,450	100,300	67,050
Mississippi	1,271,250	1,300,650	1,287,800

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Butler <sup>1</sup>	0	0	
Dunklin	340,350	349,000	246,200
Mississippi	0	0	
New Madrid	208,300	214,300	227,650
Pemiscot	97,650	100,150	102,850
Scott <sup>1</sup>			15,050
Stoddard <sup>1</sup>			150,250
Missouri	785,550	804,550	746,000
Chaves <sup>1</sup>			3,300
Curry	0	0	2,550
Dona Ana <sup>1</sup>			35,900
Eddy <sup>1</sup>			10,950
Hidalgo <sup>1</sup>	0	0	
Lea	0	0	29,800
Luna	0	0	7,900
Quay	0	0	
Roosevelt	0	0	2,900
New Mexico	60,700	61,600	95,550
Anson <sup>1</sup>			4,450
Beaufort <sup>1</sup>			35,100
Bertie <sup>1</sup>			42,000
Bladen	0	0	8,150
Cabarrus <sup>1</sup>	0	0	
Camden	0	0	1,450
Carteret	0	0	10,100
Chowan <sup>1</sup>			19,000
Cleveland <sup>1</sup>			1,400
Columbus <sup>1</sup>			4,350
Craven	0	0	3,950
Cumberland	0	0	4,700
Davidson <sup>1</sup>	0	0	
Duplin <sup>1</sup>			8,200
Edgecombe <sup>1</sup>			42,250
Forsyth <sup>1</sup>	0	0	
Franklin <sup>1</sup>	0	0	
Gates <sup>1</sup>			16,050
Greene <sup>1</sup>			19,450

See footnote(s) at end of table.

--continued



**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Halifax	61,900	63,300	71,700
Harnett <sup>1</sup>			11,350
Hertford <sup>1</sup>			19,600
Hoke	0	0	8,550
Hyde <sup>1</sup>			41,350
Johnston	0	0	8,500
Jones <sup>1</sup>			16,250
Lee <sup>1</sup>	0	0	
Lenoir <sup>1</sup>			31,000
Martin <sup>1</sup>			59,250
Montgomery	0	0	1,950
Nash <sup>1</sup>			9,800
Northampton	69,900	72,700	69,700
Onslow	0	0	4,450
Pamlico	0	0	3,050
Pasquotank	0	0	4,500
Pender	0	0	1,350
Perquimans <sup>1</sup>			26,450
Pitt <sup>1</sup>			25,450
Richmond	0	0	2,050
Robeson <sup>1</sup>			9,350
Rowan <sup>1</sup>	0	0	
Sampson <sup>1</sup>			23,700
Scotland <sup>1</sup>			5,100
Stanly <sup>1</sup>			12,900
Stokes <sup>1</sup>	0	0	
Tyrrell	0	0	3,200
Union	0	0	3,850
Wake <sup>1</sup>	0	0	
Warren <sup>1</sup>	0	0	
Washington	0	0	23,100
Wayne <sup>1</sup>			13,450
Wilson <sup>1</sup>			20,950
North Carolina	763,650	791,500	755,700
Alfalfa <sup>1</sup>	0	0	
Atoka <sup>1</sup>	0	0	
Beckham	0	0	5,750
Blaine <sup>1</sup>	0	0	
Caddo <sup>1</sup>			5,650

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Canadian <sup>1</sup>	0	0	
Cimarron <sup>1</sup>	0	0	
Comanche	0	0	3,950
Cotton	0	0	1,800
Custer <sup>1</sup>			2,550
Dewey <sup>1</sup>	0	0	
Garfield <sup>1</sup>	0	0	
Garvin <sup>1</sup>	0	0	
Grady <sup>1</sup>			1,450
Grant	0	0	1,050
Greer	0	0	6,500
Harmon <sup>1</sup>			32,600
Jackson	167,100	166,150	130,050
Kay <sup>1</sup>			7,200
Kiowa <sup>1</sup>			6,700
Lincoln <sup>1</sup>	0	0	
Mcclain	0	0	1,000
Mccurtain <sup>1</sup>	0	0	
Roger Mills <sup>1</sup>	0	0	
Tillman	43,200	44,000	52,850
Washita <sup>1</sup>			16,100
Oklahoma	281,900	283,550	278,800
Abbeville <sup>1</sup>	0	0	
Aiken	0	0	1,650
Allendale	0	0	1,700
Anderson <sup>1</sup>	0	0	
Bamberg	0	0	9,200
Barnwell	0	0	3,250
Berkeley <sup>1</sup>	0	0	
Calhoun	44,400	45,400	29,500
Cherokee <sup>1</sup>	0	0	
Chester	0	0	1,150
Chesterfield <sup>1</sup>	0	0	
Clarendon <sup>1</sup>			1,200
Colleton <sup>1</sup>	0	0	
Darlington <sup>1</sup>			14,350
Dillon <sup>1</sup>			8,050
Dorchester	0	0	7,700
Edgefield <sup>1</sup>	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Florence	0	0	4,200
Georgetown	0	0	1,250
Hampton <sup>1</sup>			6,550
Horry	0	0	2,500
Laurens <sup>1</sup>	0	0	
Lee <sup>1</sup>			10,650
Lexington	0	0	2,150
Marion	0	0	2,850
Marlboro	9,600	10,000	12,800
Newberry <sup>1</sup>	0	0	
Orangeburg <sup>1</sup>			17,200
Saluda <sup>1</sup>	0	0	
Sumter	9,650	9,850	2,900
Williamsburg <sup>1</sup>			7,100
York	0	0	2,900
South Carolina	148,650	152,800	153,900
Carroll <sup>1</sup>			29,150
Chester	0	0	2,100
Coffee <sup>1</sup>	0	0	
Crockett	90,500	92,300	64,450
Dyer	0	0	42,200
Fayette <sup>1</sup>			41,550
Franklin	0	0	5,600
Gibson	40,450	41,250	48,100
Giles	0	0	1,950
Grundy <sup>1</sup>	0	0	
Hardeman <sup>1</sup>			13,650
Hardin <sup>1</sup>	0	0	
Haywood	134,400	138,400	105,850
Henderson	0	0	2,300
Henry	0	0	1,150
Lake <sup>1</sup>			15,350
Lauderdale	73,350	75,150	65,550
Lawrence <sup>1</sup>	0	0	
Lincoln <sup>1</sup>			8,350
Madison <sup>1</sup>			32,850
McNairy	0	0	9,000
Obion	0	0	4,050
Rutherford	0	0	1,400

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Shelby	0	0	24,150
Tipton	91,450	94,550	61,400
Weakley	0	0	1,500
Tennessee	586,600	602,100	583,500
Andrews	0	0	20,000
Armstrong	0	0	1,300
Atascosa	0	0	5,650
Austin	0	0	2,200
Bailey	75,500	78,000	57,200
Bastrop <sup>1</sup>	0	0	
Baylor	0	0	4,000
Bee	0	0	8,950
Bell	0	0	4,600
Bexar	0	0	4,100
Borden <sup>1</sup>			47,750
Brazoria <sup>1</sup>			2,050
Brazos <sup>1</sup>			17,600
Briscoe <sup>1</sup>			47,550
Burleson <sup>1</sup>			25,800
Caldwell <sup>1</sup>			4,650
Calhoun <sup>1</sup>			21,000
Callahan	0	0	2,400
Cameron <sup>1</sup>			35,250
Carson <sup>1</sup>			46,550
Castro	44,950	46,100	60,300
Childress <sup>1</sup>			56,150
Clay <sup>1</sup>	0	0	
Cochran <sup>1</sup>			155,050
Coke <sup>1</sup>			
Coleman	0	0	3,700
Collin <sup>1</sup>	0	0	
Collingsworth <sup>1</sup>			80,850
Colorado	0	0	3,250
Concho <sup>1</sup>			12,250
Cottle <sup>1</sup>			24,100
Crosby	351,050	361,000	313,850
Culberson <sup>1</sup>			2,850
Dallam <sup>1</sup>	0	0	
Dallas <sup>1</sup>	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Dawson	361,900	370,700	363,900
De Witt <sup>1</sup>	0	0	
Deaf Smith <sup>1</sup>			17,700
Delta <sup>1</sup>	0	0	
Denton <sup>1</sup>	0	0	
Dickens <sup>1</sup>			23,000
Donley <sup>1</sup>			21,600
El Paso <sup>1</sup>			41,550
Ellis	25,400	26,400	26,100
Falls <sup>1</sup>			3,350
Fayette <sup>1</sup>	0	0	
Fisher <sup>1</sup>			123,200
Floyd	252,200	262,450	287,250
Foard	0	0	1,200
Fort Bend	46,000	47,500	38,500
Frio	0	0	5,550
Gaines	567,750	584,050	463,600
Garza <sup>1</sup>			57,800
Glasscock <sup>1</sup>			176,550
Goliad	0	0	1,300
Gray	0	0	19,600
Grayson <sup>1</sup>	0	0	
Guadalupe	0	0	1,750
Hale	376,150	385,000	376,500
Hall	97,250	100,900	102,100
Hansford <sup>1</sup>			4,150
Hardeman <sup>1</sup>			9,300
Hartley	0	0	2,400
Haskell	80,250	82,900	92,850
Hays	0	0	1,750
Hidalgo <sup>1</sup>			20,950
Hill	21,350	22,050	13,950
Hockley	540,750	553,500	444,100
Houston <sup>1</sup>			1,250
Howard	183,750	189,100	179,750
Hudspeth	0	0	16,400
Hunt <sup>1</sup>			1,100
Hutchinson	0	0	6,900
Irion <sup>1</sup>	0	0	
Jackson <sup>1</sup>			13,250
Jim Wells	0	0	13,200

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Johnson <sup>1</sup>	0	0	
Jones	148,350	150,400	118,950
Karnes	0	0	2,600
Kent <sup>1</sup>			7,650
King	0	0	2,000
Kinney	0	0	2,550
Kleberg <sup>1</sup>			80,200
Knox <sup>1</sup>			57,900
Lamar <sup>1</sup>			18,600
Lamb	243,450	250,650	218,950
Leon <sup>1</sup>	0	0	
Limestone	0	0	2,000
Lipscomb <sup>1</sup>	0	0	
Live Oak <sup>1</sup>	0	0	
Lubbock	629,600	636,550	460,950
Lynn	412,300	420,300	409,650
Martin	284,300	287,250	228,050
Matagorda <sup>1</sup>			19,700
Mcculloch	0	0	3,800
Mclennan	0	0	5,600
Medina	0	0	17,200
Midland <sup>1</sup>			17,100
Milam <sup>1</sup>			6,200
Mitchell	102,650	104,900	76,800
Moore <sup>1</sup>			26,600
Motley <sup>1</sup>			31,150
Navarro <sup>1</sup>			6,900
Nolan <sup>1</sup>			90,350
Nueces	192,500	197,550	207,150
Ochiltree	0	0	6,400
Oldham <sup>1</sup>	0	0	
Parmer	42,150	43,550	45,100
Pecos <sup>1</sup>			11,250
Randall	0	0	2,150
Reagan	0	0	61,050
Red River	0	0	2,150
Reeves <sup>1</sup>			
Refugio <sup>1</sup>			36,000
Roberts	0	0	2,950
Robertson <sup>1</sup>			33,750
Runnels	95,150	98,450	73,850

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
San Patricio	276,700	285,250	211,000
Schleicher	0	0	15,750
Scurry <sup>1</sup>			106,650
Shackelford	0	0	1,850
Sherman	0	0	26,500
Stonewall	0	0	4,100
Swisher	77,900	79,750	93,000
Taylor <sup>1</sup>			12,600
Terry	308,950	314,100	360,600
Throckmorton <sup>1</sup>	0	0	
Tom Green	173,850	180,350	177,250
Travis	0	0	4,950
Upton <sup>1</sup>			39,700
Uvalde	0	0	16,900
Victoria	0	0	6,550
Walker <sup>1</sup>			1,650
Waller <sup>1</sup>	0	0	
Washington <sup>1</sup>	0	0	
Wharton	92,650	93,050	67,500
Wheeler	0	0	13,900
Wichita	0	0	3,600
Wilbarger	28,900	29,300	23,250
Willacy	73,300	73,300	39,350
Williamson	39,700	40,900	32,350
Wilson	0	0	3,050
Winkler <sup>1</sup>	0	0	
Yoakum	162,250	165,150	165,450
Zavala <sup>1</sup>			7,250
Other <sup>2</sup>			221,950
Texas	8,144,900	8,338,750	8,103,200
Accomack <sup>1</sup>			
Brunswick <sup>1</sup>	0	0	
Charles City	0	0	1,450
Chesapeake <sup>1</sup>	0	0	
Dinwiddie <sup>1</sup>	0	0	
Greensville <sup>1</sup>			6,800
Isle of Wight <sup>1</sup>			19,200
King William	0	0	1,600
New Kent <sup>1</sup>	0	0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: All Cotton Running Bales Ginned (Excluding Linters),  
Equivalent 480-Pound Bales Ginned, and Running Bales Produced  
by County, State, and United States, Crop Year 2007 (continued)**

County and State	Running Bales Ginned	Equivalent 480-Pound Bales Ginned	Running Bales Produced
Northampton	0	0	1,250
Prince George <sup>1</sup>	0	0	
Southampton	0	0	35,650
Suffolk City <sup>1</sup>			21,200
Surry	0	0	3,900
Sussex	0	0	6,200
Virginia	95,900	98,050	99,600
US TOTAL	18,713,150	19,198,700	18,713,150

<sup>1</sup> Withheld to avoid disclosing individual gins, but included in State and U. S. totals.

<sup>2</sup> County of origin was not determined.

Note: Counties may not add to State total due to rounding.



**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Autauga	2	494.6	450
Baldwin	0	0.0	231
Barbour	0	0.0	313
Blount	1	494.9	396
Bullock	0	0.0	
Butler	0	0.0	
Calhoun	0	0.0	355
Chambers	0	0.0	
Cherokee	2	494.9	238
Chilton	1	499.1	
Choctaw	0	0.0	
Clarke	0	0.0	
Coffee	1	500.4	246
Colbert	2	496.4	221
Conecuh	0	0.0	326
Covington	1	500.0	256
Crenshaw	0	0.0	
Cullman	0	0.0	437
Dale	0	0.0	296
Dallas	0	0.0	406
Dekalb	0	0.0	
Elmore	1	498.8	279
Escambia	1	501.9	202
Etowah	0	0.0	388
Franklin	0	0.0	395
Geneva	1	480.0	196
Greene	0	0.0	
Hale	0	0.0	295
Henry	2	483.9	211
Houston	1	480.9	166
Jackson	0	0.0	328
Lamar	0	0.0	408
Lauderdale	3	502.4	199
Lawrence	3	498.3	186
Lee	0	0.0	
Limestone	5	497.9	121
Lowndes	0	0.0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Macon	2	495.7	351
Madison	3	492.2	120
Marengo	1	493.7	357
Marion	0	0.0	
Marshall	0	0.0	
Mobile	1	504.8	213
Monroe	1	494.3	176
Montgomery	0	0.0	438
Morgan	0	0.0	
Perry	0	0.0	478
Pickens	0	0.0	
Pike	0	0.0	420
Russell	1	491.2	329
Shelby	0	0.0	377
Talladega	0	0.0	384
Tallapoosa	1	490.2	
Tuscaloosa	0	0.0	385
Washington	0	0.0	
Wilcox	0	0.0	482
Alabama	37	495.2	
Cochise	1	498.2	397
Gila	0	0.0	
Graham	3	493.7	88
Greenlee	0	0.0	
La Paz	2	502.8	102
Maricopa	4	493.4	49
Mohave	1	486.0	285
Pima	1	506.7	179
Pinal	8	490.1	15
Yuma	4	488.1	95
Arizona	24	491.7	
Arkansas	0	0.0	
Ashley	4	488.1	38
Chicot	2	490.2	85
Clay	1	492.0	61
Craighead	6	493.3	21
Crittenden	2	491.2	91

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Cross	0	0.0	262
Desha	6	486.1	31
Drew	1	476.0	106
Greene	2	489.3	164
Jefferson	4	492.7	116
Lafayette	1	500.0	327
Lee	1	496.0	30
Lincoln	1	500.0	55
Lonoke	4	488.4	105
Miller	0	0.0	469
Mississippi	9	491.5	4
Monroe	1	485.0	160
Phillips	5	495.9	39
Poinsett	4	485.7	33
Prairie	0	0.0	461
Pulaski	0	0.0	
St. Francis	4	498.9	67
Woodruff	1	495.0	209
Arkansas	59	491.3	
Colusa	0	0.0	431
Fresno	18	498.8	5
Glenn	0	0.0	268
Imperial	1	487.6	304
Kern	14	494.6	10
Kings	15	495.8	13
Madera	1	515.8	167
Merced	2	499.0	27
Riverside	2	490.3	86
San Bernardino	0	0.0	476
Sutter	1	507.3	452
Tulare	4	500.7	59
California	58	497.0	
Calhoun	0	0.0	276
Escambia	1	486.4	244
Gadsen	0	0.0	400
Holmes	0	0.0	
Jackson	1	498.0	123

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Jefferson	0	0.0	
Okaloosa	0	0.0	320
Santa Rosa	2	498.4	130
Walton	0	0.0	378
Washington	0	0.0	389
Florida	4	497.1	
Appling	2	499.7	144
Atkinson	0	0.0	290
Bacon	0	0.0	265
Baker	0	0.0	132
Bartow	1	477.8	432
Ben Hill	0	0.0	235
Berrien	3	493.0	153
Bleckley	1	495.0	222
Brantley	0	0.0	
Brooks	1	504.2	71
Bulloch	2	484.8	148
Burke	4	497.5	170
Calhoun	1	494.3	172
Candler	2	495.4	258
Chattooga	0	0.0	
Clay	0	0.0	264
Clinch	0	0.0	
Coffee	2	494.1	134
Colquitt	6	497.9	50
Cook	0	0.0	178
Crawford	0	0.0	
Crisp	2	497.4	101
Decatur	2	494.5	72
Dodge	1	495.0	180
Dooly	8	495.4	45
Dougherty	0	0.0	334
Early	2	500.0	81
Effingham	0	0.0	449
Elbert	0	0.0	483
Emanuel	0	0.0	220
Evans	0	0.0	411
Floyd	0	0.0	453
Glascock	0	0.0	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Grady	0	0.0	154
Hart	0	0.0	
Houston	0	0.0	195
Irwin	0	0.0	131
Jeff Davis	1	493.7	152
Jefferson	2	497.7	229
Jenkins	0	0.0	252
Johnson	0	0.0	462
Lanier	0	0.0	273
Laurens	2	498.6	330
Lee	1	487.8	165
Long	0	0.0	
Lowndes	0	0.0	242
Macon	0	0.0	237
Madison	0	0.0	
Marion	0	0.0	
Miller	1	499.0	87
Mitchell	2	485.6	57
Montgomery	0	0.0	415
Morgan	2	495.0	
Oconee	0	0.0	
Peach	0	0.0	382
Pierce	0	0.0	267
Polk	0	0.0	443
Pulaski	2	495.0	107
Quitman	0	0.0	
Randolph	1	495.1	217
Richmond	0	0.0	
Schley	0	0.0	
Screven	1	501.2	189
Seminole	1	500.0	92
Stewart	0	0.0	365
Sumter	2	492.1	137
Tattnall	0	0.0	269
Taylor	1	498.1	352
Telfair	0	0.0	250
Terrell	1	495.9	147
Thomas	2	490.4	104
Tift	2	486.4	150
Toombs	0	0.0	317

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Treutlen	0	0.0	398
Turner	1	494.0	140
Twiggs	0	0.0	338
Walton	0	0.0	569
Ware	0	0.0	399
Warren	0	0.0	
Washington	0	0.0	
Wayne	0	0.0	306
Webster	0	0.0	257
Wheeler	0	0.0	402
Wilcox	1	505.6	136
Wilkinson	0	0.0	
Worth	1	490.2	51
Georgia	67	495.3	
Barber	0	0.0	424
Butler	0	0.0	
Cherokee	0	0.0	
Comanche	0	0.0	
Cowley	2	498.0	254
Edwards	0	0.0	439
Grant	0	0.0	
Gray	0	0.0	376
Harper	0	0.0	454
Harvey	0	0.0	484
Haskell	0	0.0	413
Kingman	0	0.0	
Kiowa	0	0.0	
Marion	0	0.0	
Meade	0	0.0	
Pratt	1	498.0	335
Reno	0	0.0	
Sedgwick	0	0.0	
Seward	0	0.0	332
Stafford	0	0.0	479
Stevens	1	505.8	368
Sumner	0	0.0	247
Kansas	4	500.5	

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Avoyelles	1	492.4	151
Bossier	0	0.0	386
Caddo	4	496.7	129
Caldwell	0	0.0	275
Catahoula	4	483.1	52
Concordia	3	487.3	70
Desoto	0	0.0	
East Carroll	4	486.8	114
Evangeline	0	0.0	440
Franklin	6	496.0	96
Lasalle	0	0.0	
Madison	1	489.4	75
Morehouse	3	492.7	115
Natchitoches	0	0.0	260
Ouachita	0	0.0	223
Pointe Coupe	1	487.0	228
Rapides	4	484.4	158
Red River	1	494.0	331
Richland	4	494.5	204
Saint Landry	0	0.0	379
Tensas	5	496.3	28
West Carroll	2	491.5	293
Louisiana	43	491.3	
Adams	0	0.0	282
Alcorn	0	0.0	
Attala	0	0.0	333
Benton	1	495.2	470
Bolivar	8	487.4	40
Calhoun	3	495.8	149
Carroll	1	498.9	182
Chickasaw	0	0.0	369
Choctaw	0	0.0	473
Claiborne	0	0.0	359
Clay	0	0.0	465
Coahoma	6	489.0	25
Copiah	0	0.0	
Covington	0	0.0	480
Desoto	2	487.7	245
George	0	0.0	383

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Grenada	0	0.0	249
Hinds	1	490.0	233
Holmes	3	490.3	80
Humphreys	3	489.3	65
Issaquena	0	0.0	155
Itawamba	0	0.0	314
Jackson	0	0.0	342
Jefferson	1	500.0	283
Jones	0	0.0	
Lafayette	1	488.4	318
Leake	0	0.0	
Lee	1	497.0	251
Leflore	8	497.2	35
Lowndes	0	0.0	300
Madison	1	489.4	310
Marshall	0	0.0	
Monroe	2	497.5	348
Montgomery	1	496.1	224
Noxubee	0	0.0	286
Oktibbeha	0	0.0	
Panola	3	499.4	187
Pontotoc	1	483.3	347
Prentiss	0	0.0	
Quitman	3	482.6	122
Rankin	0	0.0	441
Scott	0	0.0	
Sharkey	4	493.4	82
Sunflower	5	483.2	90
Tallahatchie	3	484.4	63
Tate	0	0.0	239
Tippah	0	0.0	433
Tishomingo	0	0.0	429
Tunica	3	493.4	53
Union	0	0.0	
Warren	1	495.2	307
Washington	6	490.8	58
Webster	1	482.9	200
Yalobusha	1	490.0	270
Yazoo	6	494.0	69
Mississippi	80	491.1	

See footnote(s) at end of table.

--continued



**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Butler	0	0.0	
Dunklin	12	492.2	14
Mississippi	0	0.0	
New Madrid	8	493.8	17
Pemiscot	6	492.4	43
Scott	3	495.0	219
Stoddard	2	481.9	32
Missouri	31	491.6	
Chaves	1	497.1	372
Curry	0	0.0	403
Dona Ana	4	485.8	125
Eddy	2	489.5	259
Hidalgo	0	0.0	
Lea	0	0.0	143
Luna	0	0.0	291
Quay	0	0.0	
Roosevelt	0	0.0	390
New Mexico	7	487.3	
Anson	1	514.9	344
Beaufort	1	497.2	128
Bertie	2	497.9	110
Bladen	0	0.0	288
Cabarrus	0	0.0	
Camden	0	0.0	455
Carteret	0	0.0	263
Chowan	1	480.0	197
Cleveland	2	499.4	458
Columbus	1	498.5	346
Craven	0	0.0	360
Cumberland	0	0.0	339
Davidson	0	0.0	
Duplin	1	498.5	287
Edgecombe	2	494.3	108
Forsyth	0	0.0	
Franklin	0	0.0	
Gates	1	482.1	215

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Greene	1	497.0	193
Halifax	4	490.8	64
Harnett	1	508.9	253
Hertford	1	493.9	191
Hoke	0	0.0	280
Hyde	1	502.3	113
Johnston	0	0.0	281
Jones	1	496.8	212
Lee	0	0.0	
Lenoir	1	510.3	142
Martin	1	488.1	79
Montgomery	0	0.0	427
Nash	1	496.2	266
Northampton	6	499.2	66
Onslow	0	0.0	345
Pamlico	0	0.0	380
Pasquotank	0	0.0	343
Pender	0	0.0	460
Perquimans	1	498.2	159
Pitt	2	504.6	163
Richmond	0	0.0	422
Robeson	2	514.6	271
Rowan	0	0.0	
Sampson	2	491.8	171
Scotland	2	504.9	336
Stanly	1	498.4	240
Stokes	0	0.0	
Tyrrell	0	0.0	375
Union	0	0.0	363
Wake	0	0.0	
Warren	0	0.0	
Washington	0	0.0	174
Wayne	1	512.7	232
Wilson	1	500.6	184
North Carolina	42	497.5	
Alfalfa	0	0.0	
Atoka	0	0.0	
Beckham	0	0.0	319

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Blaine	0	0.0	
Caddo	2	485.0	321
Canadian	0	0.0	
Cimarron	0	0.0	
Comanche	0	0.0	361
Cotton	0	0.0	434
Custer	2	501.6	404
Dewey	0	0.0	
Garfield	0	0.0	
Garvin	0	0.0	
Grady	3	506.4	456
Grant	0	0.0	481
Greer	0	0.0	311
Harmon	2	489.2	138
Jackson	4	477.3	34
Kay	1	495.4	298
Kiowa	3	519.1	305
Lincoln	0	0.0	
Mcclain	0	0.0	485
Mccurtain	0	0.0	
Roger Mills	0	0.0	
Tillman	3	488.7	94
Washita	3	492.6	214
Oklahoma	23	482.8	
Abbeville	0	0.0	
Aiken	0	0.0	444
Allendale	0	0.0	442
Anderson	0	0.0	
Bamberg	0	0.0	274
Barnwell	0	0.0	373
Berkeley	0	0.0	
Calhoun	3	491.0	145
Cherokee	0	0.0	
Chester	0	0.0	474
Chesterfield	0	0.0	
Clarendon	1	489.0	471
Colleton	0	0.0	501
Darlington	2	490.5	225
Dillon	2	491.0	289

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Dorchester	0	0.0	292
Edgefield	0	0.0	
Florence	0	0.0	349
Georgetown	0	0.0	466
Hampton	1	520.1	308
Horry	0	0.0	407
Laurens	0	0.0	
Lee	2	506.6	261
Lexington	0	0.0	417
Marion	0	0.0	393
Marlboro	3	498.8	241
Newberry	0	0.0	
Orangeburg	3	489.3	205
Saluda	0	0.0	
Sumter	3	490.2	392
Williamsburg	1	500.3	299
York	0	0.0	391
South Carolina	21	493.4	
Carroll	1	493.7	146
Chester	0	0.0	421
Coffee	0	0.0	
Crockett	5	489.6	74
Dyer	0	0.0	109
Fayette	2	495.7	111
Franklin	0	0.0	323
Gibson	3	489.4	97
Giles	0	0.0	428
Grundy	0	0.0	
Hardeman	1	489.0	230
Hardin	0	0.0	
Haywood	8	494.3	42
Henderson	0	0.0	412
Henry	0	0.0	475
Lake	1	491.2	218
Lauderdale	3	491.8	73
Lawrence	0	0.0	
Lincoln	1	489.1	284
Madison	2	489.1	135
McNairy	0	0.0	277

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Obion	0	0.0	356
Rutherford	0	0.0	459
Shelby	0	0.0	168
Tipton	4	496.2	76
Weakley	0	0.0	451
Tennessee	31	492.7	
Andrews	0	0.0	188
Armstrong	0	0.0	463
Atascosa	0	0.0	322
Austin	0	0.0	416
Bailey	5	495.9	89
Bastrop	0	0.0	
Baylor	0	0.0	358
Bee	0	0.0	278
Bell	0	0.0	341
Bexar	0	0.0	354
Borden	1	480.0	98
Brazoria	3	504.7	423
Brazos	2	457.3	203
Briscoe	2	501.6	99
Burleson	1	470.0	162
Caldwell	1	509.2	340
Calhoun	1	500.0	183
Callahan	0	0.0	410
Cameron	5	489.9	127
Carson	1	487.2	100
Castro	4	492.2	78
Childress	1	480.0	93
Clay	0	0.0	
Cochran	2	489.1	29
Coke	1	500.0	
Coleman	0	0.0	366
Collin	0	0.0	530
Collingsworth	2	502.7	54
Colorado	0	0.0	374
Concho	1	500.0	248
Cottle	1	495.0	169
Crosby	9	493.6	11
Culberson	1	484.0	394

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Dallam	0	0.0	
Dallas	0	0.0	
Dawson	9	491.7	8
De Witt	0	0.0	
Deaf Smith	2	500.9	201
Delta	0	0.0	
Denton	0	0.0	
Dickens	1	480.0	175
Donley	1	500.0	177
Duval	0	0.0	
El Paso	2	496.5	112
Ellis	3	498.8	161
Falls	1	498.1	371
Fayette	0	0.0	
Fisher	2	493.3	36
Floyd	9	499.5	12
Foard	0	0.0	472
Fort Bend	5	495.5	119
Frio	0	0.0	325
Gaines	12	493.8	1
Garza	3	488.0	84
Glasscock	1	500.0	24
Goliad	0	0.0	464
Gray	0	0.0	192
Grayson	0	0.0	
Guadalupe	0	0.0	435
Hale	12	491.3	7
Hall	3	498.1	44
Hansford	1	496.0	350
Hardeman	1	482.0	272
Hartley	0	0.0	409
Haskell	6	495.8	47
Hays	0	0.0	436
Hemphill	0	0.0	
Hidalgo	4	495.2	185
Hill	4	496.1	226
Hockley	8	491.3	3
Houston	1	490.0	467
Howard	5	494.0	22
Hudspeth	0	0.0	210
Hunt	1	476.0	477

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Hutchinson	0	0.0	301
Irion	0	0.0	
Jackson	1	492.8	234
Jim Wells	0	0.0	236
Johnson	0	0.0	
Jones	6	486.6	37
Karnes	0	0.0	401
Kent	1	492.0	294
King	0	0.0	425
Kinney	0	0.0	405
Kleberg	1	480.0	56
Knox	1	505.6	83
Lamar	1	497.6	198
Lamb	10	494.2	18
Leon	0	0.0	
Limestone	0	0.0	426
Lipscomb	0	0.0	
Live Oak	0	0.0	
Lubbock	10	485.3	2
Lynn	6	489.3	6
Martin	5	485.0	16
Matagorda	1	481.2	190
McMullen	0	0.0	
Mcculloch	0	0.0	364
McLennan	0	0.0	324
Medina	0	0.0	206
Midland	1	485.0	207
Milam	1	480.9	315
Mitchell	3	490.6	60
Moore	1	492.2	156
Motley	1	505.0	141
Navarro	2	496.4	302
Nolan	2	491.0	48
Nueces	8	492.6	20
Ochiltree	0	0.0	312
Oldham	0	0.0	595
Parmer	7	495.8	103
Pecos	1	479.8	255
Randall	0	0.0	418
Reagan	0	0.0	77

See footnote(s) at end of table.

--continued

**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Red River	0	0.0	419
Reeves	2	480.0	
Refugio	1	500.4	124
Roberts	0	0.0	387
Robertson	2	491.4	133
Runnels	4	496.7	62
San Patricio	8	494.8	19
Schleicher	0	0.0	216
Scurry	2	462.6	41
Shackelford	0	0.0	430
Sherman	0	0.0	157
Stonewall	0	0.0	353
Swisher	4	491.4	46
Taylor	1	477.0	243
Terry	6	488.0	9
Throckmorton	0	0.0	
Tom Green	3	497.9	23
Travis	0	0.0	337
Upton	1	496.8	117
Uvalde	0	0.0	208
Victoria	0	0.0	309
Walker	1	450.0	445
Waller	0	0.0	
Washington	0	0.0	
Wharton	5	482.1	68
Wheeler	0	0.0	227
Wichita	0	0.0	367
Wilbarger	3	486.8	173
Willacy	5	479.9	118
Williamson	7	494.6	139
Wilson	0	0.0	381
Winkler	0	0.0	495
Yoakum	3	488.6	26
Zavala	2	495.5	297
Texas	271	491.5	
Accomack	1	489.0	
Brunswick	0	0.0	
Charles City	0	0.0	457

See footnote(s) at end of table.

--continued



**Cotton Ginnings: Number of Active Gins, Average Bale Weight,  
and Rank by County, State, and United States, Crop Year 2007 (continued)**

County and State	Number of Active Gins	Average Weight per Running Bale Ginned	Rank by Running Bales Produced <sup>1</sup>
	<i>Number</i>	<i>Pounds</i>	<i>Rank</i>
Chesapeake	0	0.0	
Dinwiddie	0	0.0	
Greensville	1	486.5	303
Isle of Wight	1	492.4	194
King William	0	0.0	448
New Kent	0	0.0	
Northampton	0	0.0	468
Prince George	0	0.0	
Southampton	0	0.0	126
Suffolk City	1	490.7	181
Surry	0	0.0	362
Sussex	0	0.0	316
Virginia	4	490.7	
US TOTAL	806	492.5	

<sup>1</sup> Counties with blank cells are ranked but rank is withheld to avoid disclosing individual data.

Note: County of origin was not determined for approximately 231,200 bales in the U.S., and ranking may be affected.

**Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2007**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
All cotton			
US	806	CA	58
1 - 2,999	66	1 - 2,999	5
3,000 - 4,999	49	3,000 - 4,999	3
5,000 - 6,999	52	5,000 - 6,999	1
7,000 - 9,999	71	7,000 - 9,999	3
10,000 - 14,999	107	10,000 - 14,999	6
15,000 - 19,999	100	15,000 - 19,999	5
20,000 - 39,999	196	20,000 - 39,999	18
40,000 - and over	165	40,000 - and over	17
AL	37	FL	4
1 - 2,999	5	1 - 2,999	0
3,000 - 4,999	6	3,000 - 4,999	0
5,000 - 6,999	4	5,000 - 6,999	0
7,000 - 9,999	7	7,000 - 9,999	0
10,000 - 14,999	6	10,000 - 14,999	1
15,000 - 19,999	2	15,000 - 19,999	1
20,000 - 39,999	7	20,000 - 39,999	2
40,000 - and over	0	40,000 - and over	0
AZ	24	GA	67
1 - 2,999	2	1 - 2,999	5
3,000 - 4,999	2	3,000 - 4,999	1
5,000 - 6,999	0	5,000 - 6,999	5
7,000 - 9,999	1	7,000 - 9,999	7
10,000 - 14,999	6	10,000 - 14,999	6
15,000 - 19,999	1	15,000 - 19,999	8
20,000 - 39,999	9	20,000 - 39,999	17
40,000 - and over	3	40,000 - and over	18
AR	59	KS	4
1 - 2,999	2	1 - 2,999	0
3,000 - 4,999	0	3,000 - 4,999	0
5,000 - 6,999	5	5,000 - 6,999	0
7,000 - 9,999	2	7,000 - 9,999	1
10,000 - 14,999	3	10,000 - 14,999	0
15,000 - 19,999	6	15,000 - 19,999	1
20,000 - 39,999	23	20,000 - 39,999	2
40,000 - and over	18	40,000 - and over	0

**Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2007**


Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
LA	43	NC	42
1 - 2,999	4	1 - 2,999	4
3,000 - 4,999	1	3,000 - 4,999	1
5,000 - 6,999	2	5,000 - 6,999	3
7,000 - 9,999	8	7,000 - 9,999	4
10,000 - 14,999	8	10,000 - 14,999	6
15,000 - 19,999	8	15,000 - 19,999	11
20,000 - 39,999	11	20,000 - 39,999	11
40,000 - and over	1	40,000 - and over	2
MS	80	OK	23
1 - 2,999	6	1 - 2,999	6
3,000 - 4,999	3	3,000 - 4,999	7
5,000 - 6,999	8	5,000 - 6,999	0
7,000 - 9,999	10	7,000 - 9,999	0
10,000 - 14,999	20	10,000 - 14,999	4
15,000 - 19,999	14	15,000 - 19,999	2
20,000 - 39,999	13	20,000 - 39,999	3
40,000 - and over	6	40,000 - and over	1
MO	31	SC	21
1 - 2,999	0	1 - 2,999	5
3,000 - 4,999	0	3,000 - 4,999	6
5,000 - 6,999	1	5,000 - 6,999	2
7,000 - 9,999	2	7,000 - 9,999	3
10,000 - 14,999	7	10,000 - 14,999	3
15,000 - 19,999	7	15,000 - 19,999	1
20,000 - 39,999	8	20,000 - 39,999	1
40,000 - and over	6	40,000 - and over	0
NM	7	TN	31
1 - 2,999	3	1 - 2,999	1
3,000 - 4,999	0	3,000 - 4,999	1
5,000 - 6,999	2	5,000 - 6,999	2
7,000 - 9,999	0	7,000 - 9,999	4
10,000 - 14,999	0	10,000 - 14,999	4
15,000 - 19,999	0	15,000 - 19,999	5
20,000 - 39,999	0	20,000 - 39,999	13
40,000 - and over	2	40,000 - and over	1

**Cotton Ginnings: Number of Active Gins and Bales Ginned  
by Size Group, State, and United States, Crop Year 2007**

Running Bales Ginned by Size Group	Number of Active Gins	Running Bales Ginned by Size Group	Number of Active Gins
TX	271	VA	4
1 - 2,999	17	1 - 2,999	1
3,000 - 4,999	18	3,000 - 4,999	0
5,000 - 6,999	17	5,000 - 6,999	0
7,000 - 9,999	19	7,000 - 9,999	0
10,000 - 14,999	27	10,000 - 14,999	0
15,000 - 19,999	27	15,000 - 19,999	1
20,000 - 39,999	57	20,000 - 39,999	1
40,000 - and over	89	40,000 - and over	1

# 2007 All Cotton Ginnings

## Percent of U.S. Crop Ginned, by State



USDA-NASS

5-9-2008

US Production 18,713,150 Bales

**2007 Cotton Ginnings:** A total of 18.7 million running bales were ginned during the 2007 season, 11 percent below the 2006 ginnings of 21.0 million running bales. There were 806 active cotton gins during the 2007 season, down from the 835 gins that operated in 2006. Forty-five percent of the gins processed more than 20,000 running bales compared with 53 percent the previous season.

**2007 Cotton Final:** All cotton production is estimated at 19.2 million 480-pounds bales, down 11 percent from last year's production. The U.S. all cotton yield averaged 879 pounds per acre, up 65 pounds from last year. Upland cotton production is estimated at 18.4 million 480-pounds bales, down 12 percent from last year. The U.S. yield for upland cotton is estimated at 864 pounds per acre, up 58 pounds from last year's yield. The yield will be the highest on record, surpassing the previous record high of 843 pounds per acre set in 2004. Harvested area, at 10.2 million acres, is down 18 percent from last year. American-Pima, at record 851,800 bales (480-pound), is up 11 percent from last year. The U.S. yield is estimated at 1,419 pounds per acre, up 283 pounds from last year.

In the Southeast States (Alabama, Florida, Georgia, North Carolina, South Carolina, and Virginia), producers battled extreme drought conditions during the early summer. By late June, planting was complete in the region. Drought conditions continued to plague producers throughout the fall causing the crop to develop ahead of normal in most areas. By the end of September, harvest was ahead of normal throughout the region except in Georgia, where harvest lagged behind throughout the season. Harvest was complete in the region by early December. Objective yield measurements in Georgia show boll counts to be the third highest in the last 5 years.

Upland growers in the Delta States (Arkansas, Louisiana, Mississippi, Missouri, and Tennessee) finished planting in late May. The cotton crop in the Delta States matured rapidly during the late

summer and early fall due to the continual hot, dry weather. In September, harvest got underway but by the middle of the month, Louisiana and Mississippi producers were hit with several weeks of rainy weather which delayed harvest. In Missouri and Tennessee, favorable fall weather and an advanced crop allowed harvest to be completed by the middle of November, well ahead of normal. The objective yield data show Louisiana and Arkansas boll counts to be the highest on record. In Louisiana, producers had a record yield, surpassing the previous record set in 2003. In Mississippi, boll counts and boll weights are slightly lower than the 5-year average.

Southwest (Kansas, New Mexico, Oklahoma, and Texas) producers battled wet, cool conditions which delayed planting of upland cotton. The later planted crop and the abnormally wet, cool summer caused crop development to lag behind normal. During the early fall months, hot weather and timely rains helped promote crop development in the region. By mid-September, after a delay from the excessive rains during the summer, harvest was finally in full swing in South Texas. In the High Plains of Texas, Oklahoma, and Kansas, harvest got underway in October where ideal weather allowed harvest to advance rapidly. A record high yield was recorded by Oklahoma producers, surpassing the previous record set in 2004. Data from the objective yield survey shows Texas bolls per acre to be the highest on record and boll weights to be second heaviest on record. The yield in Texas is estimated at 843 pounds per acre, surpassing the previous record set in 2005.

California and Arizona upland producers completed planting by early June. Ideal weather throughout the summer and fall months allowed the crop to develop ahead of normal. In Arizona, harvest got underway by the first of the September, slightly ahead of normal. In the San Joaquin Valley, harvest was in full swing by the middle of October. By the end of November, harvest was complete in California. Data from the objective yield survey show California boll weights to be heaviest on record. California's yield is estimated at record high 1,608 pounds, surpassing the previous record set in 2004.

## ACCESS TO REPORTS!!

---

For your convenience, there are several ways to obtain NASS reports, data products, and services:

### INTERNET ACCESS

All NASS reports are available free of charge on the worldwide Internet. For access, connect to the Internet and go to the NASS Home Page at: [www.nass.usda.gov](http://www.nass.usda.gov).

### E-MAIL SUBSCRIPTION

All NASS reports are available by subscription free of charge direct to your e-mail address. Starting with the NASS Home Page at [www.nass.usda.gov](http://www.nass.usda.gov), under the right navigation, *Receive reports by Email*, click on **National** or **State**. Follow the instructions on the screen.

-----

### PRINTED REPORTS OR DATA PRODUCTS

**CALL OUR TOLL-FREE ORDER DESK: 800-999-6779 (U.S. and Canada)**  
**Other areas, please call 703-605-6220      FAX: 703-605-6900**  
**(Visa, MasterCard, check, or money order acceptable for payment.)**

-----

### ASSISTANCE

For **assistance** with general agricultural statistics or further information about NASS or its products or services, contact the **Agricultural Statistics Hotline** at **800-727-9540**, 7:30 a.m. to 4:00 p.m. ET, or e-mail: [nass@nass.usda.gov](mailto:nass@nass.usda.gov).

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or a part of an individual's income is derived from any public assistance program. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.